



# Allweather Wood™

NATURALLY DURABLE

## Allweather Wood White City Plant Guide

7893 Pacific Avenue  
White City, OR 97503

The **Allweather Wood White City** pressure treated plant is a full-line manufacturing and distribution facility in **Southern Oregon** servicing Dealers, Wholesalers, and “Jobbers” in the Western U.S.

The **Allweather Wood White City** facility stocks over 10 million feet of Treated and Non-Treated Douglas-fir OTG; the species mix is 90% Douglas-fir. The White City facility offers jobsite delivery, pull-to-piece orders, specialty treated quotes, and Treating Service Only (TSO) services.

You may call our sales office in Washougal, WA **(800) 777-8134** or Woodland, CA **(800) 759-5909** with inquiries regarding this facility.

### Manufacturing Capabilities

#### Preservatives

ACQ, ACZA (Chemonite), Borate

#### Incising

Min: Nominal S4S 2x4x8'

Max: Nominal S4S 14x16x26'

#### Colors

Blue (Tinted Borate), Browntone, Green

#### Species

Douglas-fir, Hemlock/Hem-fir, Pine

## OTG Stocking Inventory

DF Borate: 2x4-2x12, 3x4-3x8 (lengths to 20')

DF ACQ: 2x4-2x14, 3x4-3x12, 4x4-4x14, 6x6-6x12, & 8x8 (lengths to 26')

DF ACZA: 2x6, 2x8, 2x12, 3x6, 3x8, 3x12, 4x6, 4x12, 6x6, 6x8, 6x12, 8x8, & 12x12  
(lengths to 26')

HF ACQ: 2x4-2x12, 4x4, 4x6, & 6x6 (lengths to 24')

## Stocking Grades and Retentions

Standard & Better (S4S), #2 & Better (S4S & Rough), and #1 & Better (S4S & Rough)

Borate: .42 DOT Tint UC2

ACQ: .40 PCF UC4-A on all 2", 3", 4", & Rough 6x6

ACQ: .60 PCF UC4-B on 6" & larger timbers & Rough 2x12, 3x12, 4x4, 4x6, & 4x12

ACZA: .60 PCF UC4-B

## Miscellaneous ACQ-Treated Inventory Items

ACQ Plywood: 3/8"-1 1/8" Thicknesses  
CDX SE, CDX Struc-1 SE, CDX Struc-1 Shiplap, & UL/2-4-1 T&G  
4x8, 4x9, & 4x10 Panels

ACQ Mobile Home Pads: 2x12x24" & 2x12x30" .40 PCF

ACQ Lagging: 3x12 DF #3&BTR Rough Lagging .40 PCF

## Interior Fire Retardants

Lumber: 2x4-2x12 DF (lengths to 20')

Plywood: 1/2"-1 1/8" Thicknesses  
ACX SE, CDX SE, & CDX Struc-1 SE  
4x8 Panels

## Agricultural Products

Peeled DF ACQ Poles: Sizes: 4/5"-5/6"-6/7" Lengths: 8'-10'-12'

Doweled LP Pine ACQ Poles: Sizes: 4"-5"-6" Lengths: 8'-10'-12'

"Point & Cap" Tree Stakes: Sizes: 2" Lengths: 8'

## **ANSI-Rated Utility Poles**

Class 5: 25' & 30' Lengths